

TATA MOTORS

For more information, please visit our website: www.buses.tatamotors.com. You can also contact our Sales Office: **Tata Motors Limited**, 4th Floor, Ahura Centre, 82, Mahakali Caves Road, MIDC, Andheri (East), Mumbai 400093 or call toll-free no. **1800 209 7979**.

Tata Motors reserves the right to change and vary the design, technical details and specifications at any time, without prior notice, as per the Company's policy of continuous product improvement. The illustrations may show accessories and items of optional equipment which are not part of standard specifications. Colours may vary slightly from those shown, owing to printing process.

24 Back Cover

Cover

Journeys that create beautiful memories



Starbus SKOOL
Safety and comfort everyday









Happiness unlimited

What does it take to bring joy to a child's life? A toy? A pet? A visit to an amusement park? Or just a moment of happiness? Tata Motors assures many happy moments with **Starbus Skool** - a range of school buses that carries children with utmost comfort and safety, all the way to school and back.

As you read on, you'll discover what makes the Starbus Skool range an ideal means of transport for your children.

ge 2

For the Indian. By the Indian.

Most of the time, children in India are made to travel to school in buses that are primarily made for public transport. This reason made Tata Motors launch Starbus Skool - a range of buses purpose-built for children and indigenously designed for travel conditions in India.

The range, available in AC and non-AC versions, incorporates 25 safe, stylish and stress-free features that ensure optimal safety and comfortable rides for your children. These features adhere to recommended Government guidelines, thereby ensuring safety for school children.

Safety and Comfort every day

FEATURES

Each Starbus Skool is aesthetically designed and equipped with special 'child-safety' features that provide comfort, convenience and protection to the children travelling in it.

Fluorescent exterior

The bright golden yellow exterior of the bus enhances visibility.

School bus logo The prominent logo helps other drivers identify the school bus from afar and drive carefully around it.





Anti-skid flooring

The easily washable flooring has prevents children from slipping, even when the surface is wet.



STOP

STOP sign

The bright luminescent 'STOP' sign on the door acts as a caution to other drivers while the children board or alight from the bus.

5

6



First-aid kit

The kit contains essential medical supplies to handle minor injuries that may occur during transportation.



Fire extinguisher

As per Tata Motors' safety guidelines, the Starbus Skool range has fire extinguishers that are handy in times of emergency, to ensure safety.



Safe upholstery

Page 7

All Starbus Skool buses have fire retardant material for their upholstery. This means more safety for the children travelling in them.

8



Lowered step

The retractable lower first step allows children to board and alight from the bus with minimum effort and risk of injury.



9

Childcare seats

The ergonomically designed seats ensure that children enjoy a comfortable ride to and from school.

10

Armrest

Each armrest is padded, to prevent injuries from sharp edges. (Available on front seats only)



11



Tooth guard

The rigid top of the seat is covered with additional padding to protect children from hurting their teeth.


12

Shoulder comfort

Special racks below the seats provide convenience for children to keep their school bags without dirtying them.







Page 8



Hat-rack

Apart from special racks, these buses also have hat-racks for extra space and shoulder comfort. (Tubular hat-racks in non-AC buses and modular hat-racks in AC buses)



Bottle-holder

The embedded hooks allow children to hang their water bottles.

13

Collapsible handles

The handles provide support to the children when the bus turns or stops suddenly.



16

17




Spacious windows
The extra large windows
allow sunlight and fresh
air into the bus.

Grab handle

A soft grab handle on the outer edge of each seat helps children get a better grip while walking along the aisle.



Page 10



18



Guide rails

Guide rails on the roof with grab strap handles provide children with a better grip inside the bus. (Available only in non-AC buses. In AC buses, this feature is integrated with the hatrack)

Padded windows

The soft padding prevents pleasant view of the surroundings.





Window guardrails

security for children.



Guarded driver saloon

The tubular guardrail separates the



22

Page 12

23



STOP switches

In case of an emergency or an unscheduled halt, the children can press the STOP switch located on every window pane, to alert the driver to halt. (STOP switch is on the Stanchion Rod near the door in 16 to 40-seater buses)

24

Emergency exits

The rear windshield, made of breakable glass, and rear emergency door both ensure a large and effective space for evacuation of children, in case of an emergency. A hammer has been provided, for easy breakage of the rear windshield glass.



25



Individual seat lap-belts

All the AC versions of Starbus Skool offer individual seat lap-belts on front seats for added safety.

Starbus SKOOL





An experienced, relaxed and undisturbed driver is the best safety measure in any vehicle. That's why every Starbus Skool is designed to help the driver stay focused and drive safely. The driver area is provided with a tubular, latched, swing type guardrail that offers a comfortable work area for the driver. The driver's seat is equipped with a 2-way adjustable, reclining facility and is provided with a seat belt. The clear layout of instruments ensures easy operation of controls, while the one-piece windshield gives the driver an unobstructed view of the road.









age 14 Page 15

Starbus SKOOL

TECHNICAL SPECIFICATIONS


	Starbus Skool 23	
Chassis Platform	SFC 407/31 4SP CR	
Engine	TATA 4SP Common Rail Diesel Engine	
Engine Power	64 kW @ 2800 r/min	
Engine Torque	250Nm at 1400 - 2400 r/min	
Clutch Diameter	280 mm	
Gearbox	G380, 5F+1R	
Brakes	Hydraulic Brakes	
Suspension	Semi-elliptical Suspension	
Anti-roll Bar	Yes	
Steering	Power Steering	
Battery	12 V, 100 Ah	
Alternator	75 A	
Tyres	7.50 x 16 - 16PR	
Fuel Tank Capacity	60 L	
Turning Circle Diameter	12000 mm	
Max. GVW	4990 kg	
BODY:		
Seating Capacity & Layout	23+1 (3X2)	
Structure	Galvanized Tubular Structure	
Floor	Anti-skid Vinyl	
Passenger Door	1 Jack-knife Type	
Front Windshield	Single Piece Laminated Glass	
Rear Windshield	Single Piece Tempered Glass	
Emergency Exits	1 breakable rear glass with hammer; 1 emergency window behind driver; door at rear RH side	
Fire Extinguisher	2 nos. of 2 kg Fire Extinguishers	
First Aid box	One no. to be Provided Without Medicines	
Side Windows	Full Sliding Glasses	
Step Lamp	Provided	
Hat-rack	Tubular Hatrack	
Window Guardrail	3 Rows	
Fire Retardant Material	Yes	
Side Luggage Booth	NA	
Overall Dimensions:		
Wheelbase	3100 mm	
Length	5550 mm	
Rear Overhang	1540 mm	
Front Overhang	910 mm	
Overall Height	2900 mm	
Max. Width	2200 mm	
Internal Height	1900 mm	

Starbus SKOOL



TECHNICAL SPECIFICATIONS

	Starbus Skool 26 / Starbus Skool 30		
Chassis Platform	LP 407/34 4SP CR		
Engine	TATA 4SP Common Rail Diesel Engine		
Engine Power	64 kW @ 2800 r/min		
Engine Torque	250Nm at 1400-2000 r/min		
Clutch Diameter	280 mm		
Gearbox	GBS-27, 5F+1R		
Brakes	Dual Circuit Full air S-cam Brake with ABS		
Suspension	Parabolic Suspension		
Anti-roll Bar	Yes		
Steering	Power Steering		
Battery	12 V, 100 Ah		
Alternator	75 A		
Tyres	7.50 x 16 -16PR		
Fuel Tank Capacity	60 l		
Turning Circle Diameter	12300 mm		
Max. GVW	6520 kg		
BODY:			
Seating Capacity & Layout	26+1 (2x2) / 30+1 (3x2)		
Structure	Galvanized Tubular Structure		
Floor	Anti-skid Vinyl		
Passenger Door	1 Jack-knife Type		
Front Windshield	Single Piece Laminated Glass		
Rear Windshield	Single Piece Tempered Glass		
Emergency Exits	1 breakable rear glass with hammer; 1 emergency window behind driver; door at rear RH side		
Fire Extinguisher	2 nos. of 2 kg Fire Extinguishers		
First Aid box	One no. to be Provided Without Medicines		
Side Windows	Full Sliding Glasses		
Step Lamp	Provided Provided		
Hat-rack	Tubular Hatrack		
Window Guardrail	3 Rows		
Fire Retardant Material	Yes		
Side Luggage Booth	NA		
Overall Dimensions:			
Wheelbase	3400 mm		
 Length	6870 mm		
Rear Overhang	2040 mm		
Front Overhang	1430 mm		
Overall Height	2900 mm		
Max. Width Internal Height	2200 mm 1900 mm		



Starbus SKOOL



TECHNICAL SPECIFICATIONS

	Starbus Skool 36 / Starbus Skool 40		
Chassis Platform	LP 709/42 4SP CR		
Engine	TATA 4SP Common Rail Diesel Engine		
Engine Power	64 kW @ 2800 r/min		
Engine Torque	250Nm at 1400-2000 r/min		
Clutch Diameter	280 mm		
Gearbox	GBS-27, 5F+1R		
Brakes	Dual Circuit Full air S-cam Brake with ABS		
Suspension	Parabolic Suspension		
Anti-roll Bar	Yes		
Steering	Power Steering		
Battery	12 V, 100 Ah		
Alternator	75 A		
Tyres	7.50 x 16 -16PR		
Fuel Tank Capacity	90 l		
Turning Circle Diameter	14600 mm		
Max. GVW	7000 kg		
BODY:			
Seating Capacity & Layout	36+1 (2x2) / 40+1 (3x2)		
Structure	Galvanized Tubular Structure		
Floor	Anti-skid Vinyl		
Passenger Door	1 Jack-knife Type		
Front Windshield	Single Piece Laminated Glass		
Rear Windshield	Single Piece Tempered Glass		
Emergency Exits	1 breakable rear glass with hammer; 1 emergency window behind driver; door at rear RH side		
Fire Extinguisher	2 nos. of 2 kg Fire Extinguishers		
First Aid Box	One no. to be Provided Without Medicines		
Side Windows	Full Sliding Glasses		
Step Lamp	Provided		
Hat-rack	Tubular Hatrack		
Window Guardrail	3 Rows		
Fire Retardant Material	Yes		
Side Luggage Booth	NA		
Overall Dimensions:			
Wheelbase	4200 mm		
Length	8150 mm		
Rear Overhang	2520 mm		
Front Overhang	1430 mm		
Overall Height	2900 mm		
Max. Width	2200 mm		
Internal Height	1900 mm		

age 18



Starbus SKOOL




TECHNICAL SPECIFICATIONS


Starbus Skool 40 / Starbus Skool 50	
LP 909/49 4SP CR	
TATA 4SP Common Rail Diesel Engine	
64 kW @ 2800 r/min	
250Nm at 1400-2000 r/min	
280 mm	
GBS-27, 5F+1R	
Dual Circuit Full Air S-cam Brake with ABS	
Parabolic Suspension	
Yes	
Power Steering	
12 V, 100 Ah	
75 A	
7.50 x 16 -16PR	
90 l	
17500 mm	
8000 kg	
40+1 (2x2) / 50+1 (3x2)	
Galvanized Tubular Structure	
Anti-skid Vinyl	
1 Jack-knife Type	
Single Piece Laminated Glass	
Single Piece Tempered Glass	
1 breakable rear glass with hammer; 1 emergency window behind driver; door at rear RH side	
2 nos. of 6 kg Fire Extinguishers	
One no. to be Provided Without Medicines	
Full Sliding Glasses	
Provided	
Tubular Hatrack	
3 Rows	
Yes	
NA	
4920 mm	
9300 mm	
2950 mm	
1430 mm	
2900 mm	
2200 mm	
1900 mm	

Page 20 Page 21


Starbus SKOOL Seating Options




3 Seater (3x2)




26 Seater (2x2)




O Seater (3x2)




36 Seater (2x2)



40 Seater (3x2)



40 Seater (2x2)



50 Seater (3x2)











Tata Bus Terminus: A single source for a range of services

Now you can avoid the hassles of interacting with multiple vendors and agencies in building a bus, and subsequent servicing of the body and chassis. Tata Motors, with its fully-built range of buses, offers a one-stop solution for bus buyers - the Tata Bus Terminus.

Tata Bus Terminus services include:

Easy finance schemes that facilitate easy purchase of your desired Starbus Skool.

A range of fully-built buses to choose from, along with spares and accessories, not only for the chassis but also for the complete bus.

Attractive annual maintenance contract, which includes repair services, overall maintenance, genuine spares and breakdown services for the bus.

A 36-month/3,00,000 km warranty based on model categories, which includes a 6-month warranty on paint peel-off and blistering.

The Sampoorna Seva Package provides maintenance facilities, including repair services, overall maintenance, genuine spares and breakdown services for the bus.

A nationwide service network enables you to access our nearest service partners, Tata Motors channel partners or Tata Motors branches conveniently, wherever you are.

Toll-free Customer Care assists you on any of our products. You can call us at 1800 209 7979, anytime between 9:30 am and 6:00 pm, Monday to Saturday. Our executives will be glad to answer your queries and provide you with the latest information. Alternately, you may email us at businfo@tatamotors.com or visit www.buses.tatamotors.com

You may also walk into any of our four regional offices, area offices or dealer branches across the country. Call our **24-hour Customer Service Helpline at 1800 209 7979** for more details.

Warranty on Skool Range						
Variants	Chassis	Engine	Paint Defects	Body		
23	3 years / 3 lakh km	3 years / 3 lakh km	6 months	1½ years		
26	3 years / 3 lakh km	3 years / 3 lakh km	6 months	1½ years		
30	3 years / 3 lakh km	3 years / 3 lakh km	6 months	1½ years		
36	3 years / 3 lakh km	3 years / 3 lakh km	6 months	1½ years		
40	3 years / 3 lakh km	3 years / 3 lakh km	6 months	1½ years		
50	3 years / 3 lakh km	3 years / 3 lakh km	6 months	1½ years		

Page 22 Page 23